

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
5 July 2001 (05.07.2001)


PCT

(10) International Publication Number
WO 01/48712 A1

- (51) International Patent Classification⁷: G07F 17/32, G07C 15/00
- (21) International Application Number: PCT/IB00/01896
- (22) International Filing Date: 18 December 2000 (18.12.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 09/470,824 23 December 1999 (23.12.1999) US
- (71) Applicant: NOKIA CORPORATION [FI/FI]; Keilalahdentie 4, FIN-02150 Espoo (FI).
- (71) Applicant (for LC only): NOKIA INC. [US/US]; 6000 Connection Drive, Irving, TX 75039 (US).
- (72) Inventor: TANSKANEN, Erkki; Luhtipolku 24A 90, FIN-01660 Vantaa (FI).
- (74) Agents: DANA, Jubin et al.; 6000 Connection Drive, 1-4-755, Irving, TX 75039 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(Continued on next page)

(54) Title: MOBILE LOTTO



(57) Abstract: A method and system for providing real time scratch-off lottery like games over a wireless network. The method and system allow a user of a wireless station to play a lottery game electronically with the feel of real-time scratch and win determination. Substantially concurrently, security, including win/loss determination is maintained by a betting service provider on a system apart from the wireless station of the user. A user authentication routine is executed by the betting service (Step 104). Once the user is authenticated, a choice of electronic lottery ticket-like games is presented and the user selects one or more "tickets" (Step 106). Once a selection is made, the betting service randomly selects game tickets and transmits them to the user (Step 108). Once received by the user, the game ticket can be played on a wireless station. In the presently preferred embodiment, the game is presented as an electronic representation of a scratch-off-type lottery ticket. A determination of winning or losing is made as the user plays the game (Step 110). If the user has lost, the user may play another ticket, select another game or quit playing and log-off the betting service (Step 112). If the user wins the lottery game, the designated prize, can be credited to the betting service account of the user (Step 114). The credit to the user can also be made in the form of the issue of new lottery game tickets (with or without additional credit to the users account). The user may then play another selected ticket (Step 110), select another ticket (Step 106), or log-off the betting service (Step 112).

WO 01/48712 A1

WO 01/48712 A1

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

Published:

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

MOBILE LOTTO

5 Field of the Invention

This invention relates to gaming entertainment and, more particularly, to providing real-time, lotto-type games in an interactive wireless environment.

Background of the Invention

10 During the last few decades, same-time-same-place gambling has been complemented by same-time-different-place activities. Telephone betting has a long history that includes activities that have been proscribed (e.g., starting price or S.P. bookies), that have been approved (e.g., on-course bookies), and, in some countries, that have been State-conducted (e.g., phone-betting with State Government Totalisator Agency Boards or TABs).

15 It has long since been recognized that the virtualization of gambling could result in major changes to society. Whereas in 1975 few people might have contemplated a future in which bets could be placed on which member of the British Royal Family would die next, or on which state would next erupt in civil war, such bets can now be placed in the United Kingdom and in several other nations around the world. Betting houses offering such services are becoming readily accessible on the Internet.

20 Gambling is increasingly becoming a major feature of interactive networks. So much so, it appears to be one of the largest sources of revenue generation on the Internet. Use of the Internet for gambling is especially significant because it is fully operational, it uses an existing and pervasive infrastructure, and its market reach is already very wide. In addition to its physical advantages the growth rate of the Internet is dramatic and it is intrinsically extra-, and even supra-jurisdictional, making it extremely resistant to existing regulatory frameworks.

25 Satellite and cable infrastructures may be used to operate services independent from the Internet. It is important to note, however, that they are also entirely capable of being used as carrier mechanisms for Internet traffic, and indeed to support both proprietary and Internet channels at the same time. If satellite and/or cable come to supplant the public switched telephone network (PSTN) carried Internet, it will not necessarily supplant the Internet itself.

30 With particular regard to betting, real-time betting is quite difficult to carry out in a way that allows the remoteness of the activity to be transparent to the user. That is, current real-time betting systems do not create an environment for a user that emulates the timing,

35

and sensation, of carrying out a live, on-location activity. Further, the real-time betting systems that do exist are not intuitive or easy to use by a majority of bettors.

Summary of the Invention

5 The disclosed embodiments provide a method and system for providing real-time, scratch-off lottery-like games over a wireless network. The method and system allow a user of a wireless station to play a lottery game electronically with the feel of real-time, scratch-and-win determination. Substantially concurrently, security, including win/loss determination is maintained by a betting-service provider on a system apart from the wireless station of the user. The system tracks user accounts, outstanding lottery games, and randomly
10 determines win/loss information. The user is notified of win or loss (or the value "underneath" the scratch-off block in near-real time. The wireless station transmits minimal amounts of data, typically a lottery ticket identifier and description of the users actions to the betting-service provider and receives a value to display from the betting-service provider.

The disclosed innovations provide several advantages. For example, the security of
15 the win/loss information is maintained by the betting-service provider. Moreover, in the presently preferred embodiment, the win/loss determination is not made until a button is pressed. Therefore, unlike a physical scratch-off lottery ticket, there is no *a priori* knowledge of the value of any ticket in the game. For another example, the user experiences real-time betting in a location remote from the betting-service provider. This remote location aspect
20 allows the gaming to occur anytime and anywhere. For another example, betting losses can be controlled by managing the account of a user electronically. For another example, the disclosed embodiment prevents against a sell-out situation. Such a situation can occur with paper tickets when a particular game is popular. For another example, if the user wins on a particular ticket, the value of the win is credited to an account instantaneously. This
25 instantaneous crediting eliminates the need for a player to go to a physical location to collect the winnings. It also eliminates the need to track a winning paper ticket. For another example, unlike paper lottery tickets, the winning tickets are not determined *a priori* and are not separately printed and mixed in with other tickets. Therefore, it is not possible to predict winning tickets based on print time or position.

Brief Description of the Drawings

30 The disclosed inventions will be described with reference to the accompanying drawings, which show important sample embodiments of the invention, wherein:

Figure 1 depicts a flow chart of the presently preferred embodiment;

Figure 2 depicts a block diagram of connections and communication flow between
35 the wireless station user and the betting service;

Figures 3A and 3B depict a possible configuration of the game of the presently

preferred embodiment; and

Figure 4 depicts a block diagram of a wireless station that can make use of the disclosed embodiments.

Detailed Description of the Preferred Embodiments

5 The numerous innovative teachings of the present application will be described with particular reference to the presently preferred embodiment. However, it should be understood that this class of embodiments provides only a few examples of the many advantageous uses of the innovative teachings herein. In general, statements made in the specification of the present application do not necessarily delimit any of the various claimed inventions. Moreover, some statements may apply to some inventive features but not to others.

10 The presently preferred embodiment of the disclosed innovations is a scratch-off, lottery-ticket-like game. However, it should be noted that the disclosed innovations can be implemented in a variety of ways in a wireless network.

15 Figure 1 depicts a flow chart of the presently preferred embodiment. In Figure 1, a wireless station user logs onto an electronic betting service (Step 102). A user authentication routine is executed by the betting service (Step 104). Once the user is authenticated, a choice of electronic lottery ticket-like games is presented and the user selects one or more "tickets" (Step 106). Once a selection is made, the betting service randomly selects game tickets and transmits them to the user (Step 108). Typically, a debit for each ticket selected will be taken from the betting service account of the user. Each game ticket has a lottery ID number associated with it that identifies it to the betting service. The lottery ID number is transmitted to the user along with the parameters of the game. The parameters can include, for example, the button array, game rules, ticket display layout, etc. Once received by the user, the game ticket can be played on a wireless station. In the presently preferred embodiment, the game is presented as an electronic representation of a scratch-off-type lottery ticket. Game play is described in further detail below. A determination of winning or losing is made as the user plays the game (Step 110). If the user has lost, the user may play another ticket, select another game or quit playing and log-off the betting service (Step 112). If the user wins the lottery game, the designated prize, for example, a certain amount of money, is credited to the betting service account of the user (Step 114). The credit to the user can also be made in the form of the issue of new lottery game tickets (with or without additional credit to the users account). The user may then play another selected ticket (Step 110), select another ticket (Step 106), or log-off the betting service (Step 112).

35 Figure 2 depicts a block diagram of connections and communication flow between

the wireless station user and the betting service. In the presently preferred embodiment, transmissions take place over the air. A wireless station 202 and a base station 204 make up the over-the-air transmission network. No particular over-the-air transmission system is required; for example, the system could be a TDMA, CDMA, GSM, GPRS, UMTS, AMPS, Bluetooth, WLAN, or other system. The wireless station 202 provides the necessary firmware, hardware, and display to enable playing the selected game. In the presently preferred embodiment, the wireless station 202 is the game terminal. The wireless station communicates with a betting-service provider 210. In the presently preferred embodiment, the betting-service provider 210 delivers betting services to the wireless station 202 via the base station 204 over an Internet Protocol (IP)-type connection. That is, the base station 204 is connected to the Internet or another IP-based network. Data is delivered from the betting-service provider 210 to the base station 204 over the network. The base station 204 then delivers the data to the wireless station 202 over-the-air. Of course, data delivery is not dependent on a network that is running IP. Other network protocols, for example, X.25, X.400, etc. can be used. Moreover, the betting-service provider 210 may be Wireless Application Protocol (WAP) enabled such that it delivers the game in a more user-friendly format.

In the presently preferred embodiment, the betting-service provider 210 is a server 206 connected to a network which is accessible by the base station 204. The server 206 receives communications from the wireless station *e.g.*, 202 wishing to purchase and execute electronic-betting games, such as the lottery-type game of the present application. For example, user log-on and lottery ticket selection (Steps 102 and 106) require communication between the server and the wireless station. The server 206 executes one or more programs to manage the accounts of users registered to play such games. Additionally, the server 206 executes one or more programs to distribute the games to various wireless stations *e.g.*, 202. In the presently preferred embodiment, user-account management and game distribution are tracked using at least one database 208. The credits and debits and current total in the account of a user, as well as log-in authentication information, are kept in the database.

The betting-service provider 210 must also maintain information on the types of games available for lottery selection. Once a game is selected by a user and transmitted to a wireless station *e.g.*, 202, the server 206 must track the lottery ID number. Such tracking can include linking the lottery ID number to a specific user to verify that a win is being reported by the user who purchased the game (or the wireless station to which the game transmitted). In addition, the betting-service provider 210 must maintain the randomness

and fairness of the games being played.

Figures 3A and 3B depict a possible configuration of the game of the presently preferred embodiment. The betting-service provider 210 will provide the wireless station 202 with the data needed to play the game. The data includes the lottery ID number and a button set. The betting-service provider tracks the lottery ID number and the button set. The example depicted in Figures 3A and 3B is a lottery game called Ace. If Ace is selected as a lottery ticket in Step 106, a display similar to that depicted in Figure 3A appears on the wireless station 202. The nine blocks 302 in the display are the equivalent of the opaque scratch-off squares of a paper lottery ticket. Each block is linked to a corresponding button of the wireless station 202. The top left block, for example, is linked to the button, or key, labeled "1" and the bottom right block, for example, is linked to the button labeled "9". Although there can be many different electronic-lottery games, just as there are many different paper-lottery games, the linking of the opaque blocks of each game to a key of a wireless station 202 is typical. The game is played by touching a button of the wireless station which is linked to a block of the game. Once a button is selected, the wireless station transmits the lottery ID number and the selected button to the betting-service provider 210. The betting-service provider 210 matches the button selected for the lottery ID number to a value. The value, which can be a dollar amount or even a "WIN" or "NO WIN" display, is chosen and communicated back to the wireless station 202. Such an action is equivalent to scratching off the coating of a block on a paper lottery ticket to reveal a picture, or other display underneath.

Figure 3B depicts the Ace game after having been played. The button selected corresponds to, for example, the button labeled "2". Once selected, the display "underneath" the opaque block corresponding to the chosen button is revealed.

Of course, the game Ace is only an example of the many different, scratch-off-type games that can be played on the wireless station 202. For example, a scratch-off game in which three buttons are selected and the values "underneath" the three must match to win can also be played on the wireless station 202. However, each game is exemplified by the use of the betting-service provider 210 in mapping buttons to values to be displayed. The betting-service provider 210 is responsible for the randomness and fairness of the betting activity. The game, as it exists on the wireless station 202, does not contain the information needed to determine win or loss. The betting-service provider 210 makes the win/loss determination. In the presently preferred embodiment, the betting-service provider 210 receives a lottery ID number and the selected button from the wireless station 202. The betting-service provider 210 then randomly generates a value. The value, for example, can be an amount of money or a "NO WIN". In this manner, the security of the game is

enhanced. Once generated, the betting-service provider 210 transmits the value to the wireless station 202. The value received at the wireless station is then displayed in the block corresponding to the selected button.

From the perspective of the user, the game, as it is played on the wireless station 202, is self-contained. That is, the user perceives the game as though it is an electronic scratch-off ticket. Ideally, the data transmission between the wireless station 202 and the betting-service provider 210 is not significantly delayed, enabling the display to appear to respond to the selection of button in apparent real-time.

In an alternative embodiment, each game ticket downloaded to a wireless station, or other terminal, for playing includes the win/loss information. That is, in addition to the lottery ID number and game parameters, information regarding the value behind the button or buttons selected, is known or derived at the wireless station. In this alternative embodiment, the betting-service provider 210 no longer generates random values after a button is selected. Rather, the betting-service provider 210 generates random values prior to transmitting the ticket and transmits them with the other game parameters. The betting-service provider 210 serves to verify that the buttons selected for the particular lottery ID number would result in a winning ticket and properly credit a users account. Of course, given appropriate security measures, the wireless station 202, instead of the betting-service provider, can be enabled to generate the random values associated with the buttons of the lottery game.

Figure 4 depicts a block diagram of a wireless station, or mobile station, 400 that can make use of the disclosed embodiments. The mobile station 400 includes, in this example:

A control head 402 containing an audio interface, i.e. a speaker 404 and microphone 406. The control head 402 generally includes a display assembly 408 allowing a user to see dialed digits, stored information, messages, calling-status information, including signal strength, etc. The control head generally includes a keypad 410, or other user-control device, allowing a user to dial numbers, answer incoming calls, enter stored information, and perform other mobile-station functions. The control head also has a controller unit 434 that interfaces with a logic-control assembly 418 responsible, from the control unit perspective, for receiving commands from the keypad 410 or other control devices, and providing status information, alerts, and other information to the display assembly 408;

A transceiver unit 412 containing a transmitter unit 414, a receiver unit 416, and the logic-control assembly 418. The transmitter unit 414 converts low-level, audio signals from the microphone 406 to digital coding using a codec (a data coder/decoder) 420. The digitally encoded audio is represented by modulated shifts, for example, in the frequency

domain, using a shift key modulator/demodulator 422. Other codes transmission utilized by the logic-control assembly 418, such as station parameters and control information, may also be encoded for transmission. The modulated signal is then amplified 424 and transmitted via an antenna assembly 426;

5 The antenna assembly 426 contains a TR (transmitter/receiver) switch 436 to prevent simultaneous reception and transmission of a signal by the mobile station 400. The transceiver unit 412 is connected to the antenna assembly 426 through the TR switch 436. The antenna assembly contains at least one antenna 438;

10 The receiver unit 416 receives a transmitted signal via the antenna assembly 426. The signal is amplified 424 and demodulated 422. If the signal is an audio signal, it is decoded using the codec 420. The audio signal is then reproduced by the speaker 404. Other signals are handled by the logic-control assembly 418 after demodulation 422; and

15 A logic-control assembly 418 usually containing an application-specific, integrated circuit (or ASIC) combining many functions, such as a general-purpose microprocessor, digital-signal processor, and other functions, into one integrated circuit. The logic-control assembly 418 coordinates the overall operation of the transmitter and receiver using control messages. Generally, the logic-control assembly operates from a program that is stored in flash memory 428 of the mobile station. Flash memory 428 allows upgrading of operating software, software correction or addition of new features. Flash memory 428 is also used to hold user information such as speed dialing names and stored numbers. The various disclosed embodiments typically function from this or another section of the mobile station's memory. In the presently preferred embodiment, the display 408 and keypad 410 of the wireless station are used to play the game.

20 In addition to flash memory 428, the mobile station will typically contain read only memory (ROM) 430 for storing information that should not change, such as startup procedures, and random access memory (RAM) 432 to hold temporary information such as channel number and system identifier.

25 As will be recognized by those skilled in the art, the innovative concepts described in the present application can be modified and varied over a tremendous range of applications, and accordingly the scope of patented subject matter is not limited by any of the specific exemplary teachings given.

30 For example, the betting-service provider is described as determining the win/loss of the lottery ticket after a button is selected. However, it is possible that all of the buttons associated with the game are mapped to values prior to the transmission of the game. Moreover, the values could be mapped after transmission but before reception of the selected button.

35

For another example, while the presently preferred embodiment of the disclosed innovations is described as communications over the air, such innovations can be delivered over any type of network, wireless or wired. Terminals connected to a network, e.g. the Internet, through phone lines or other physical connections can make use of the disclosed innovations.

For another example, the location of the wireless station can be used, via GPS, Bluetooth, or another location system, to provide a selection of tickets, or games, with a theme associated with the location. As an example of a theme, if a ticket is to be played in a hockey arena, the selection of games (and their associated parameters) would be keyed to hockey e.g. "Blue Line", "Face-Off", etc.

For another example, in wireless stations that are enabled with communications facilities other than radio frequency, e.g., infra-red, the ticket and game parameters can be transmitted to the wireless station from other than a radio frequency wireless network.

For another example, the lottery game can be purchased at a known geographic location designed for such purchases. For example, a night club or other entertainment center, such as the hockey-arena scenario described above, may be equipped to vend the games. The games could be transmitted over radio frequency, infra-red, or downloaded via a physical interface. In confined spaces, a low-power radio frequency, such as that provided by Bluetooth or WLAN could be used. Win values could be redeemed at the location instead of receiving electronic credit to a user account.

CLAIMS

What is claimed is:

- 1 1. A method of providing electronic-lottery games, comprising the steps of:
2 transmitting a game identification number;
3 transmitting game parameters associated with said game identification
4 number to said game terminal;
5 receiving data related to selections on said game terminal associated with
6 said game identification number;
7 calculating a win/loss value; and
8 transmitting said win/loss value to said game terminal.
- 1 2. The method of Claim 1, further comprising the step of transmitting a selection of
2 possible games wherein said game identification number and game parameters are
3 associated with a game selected from said possible games.
- 1 3. The method of Claim 1, further comprising the step of crediting an account when
2 said win value is a positive value.
- 1 4. The method of Claim 1, wherein said calculating step occurs after said receiving
2 step.
- 1 5. The method of Claim 1, wherein said calculating step is performed for each possible
2 selection associated with said game identification number.
- 1 6. The method of Claim 1, wherein said transmitting steps occur within a network.
- 1 7. The method of Claim 1, wherein said steps are performed by a betting-service
2 provider.
- 1 8. The method of Claim 1, further comprising the step of storing information associated
2 with said game identification number on a database.

1 9. The method of Claim 1, wherein said steps are performed by a betting-service
2 provider connected to a network.

1 10. A method of playing electronic-lottery games, comprising the steps of:

2 accepting a lottery game selection;

3 receiving a game identification number and game parameters associated with
4 said number;

5 accepting at least one gaming selection according to the rules of said
6 selected lottery game; and

7 receiving win/loss value information based on said at least one gaming
8 selection.

1 11. The method of Claim 110, further comprising the step of logging in to receive a
2 selection of lottery games.

1 12. The method of Claim 110, further comprising the step of crediting an account when
2 said win value is a positive value.

1 13. The method of Claim 110, further comprising the step of storing information about
2 said game on a database.

1 14. The method of Claim 110, further comprising the step of calculating a win/loss value
2 for said selected game.

1 15. The method of Claim 110, wherein said steps are performed by a wireless station.

1 16. The method of Claim 110, further comprising the step of calculating a win/loss value
2 for each possible gaming selection of said selected game.

1 17. The method of Claim 110, wherein said steps are performed in software.

- 1 18. An interactive services display and response system, comprising:
2 a betting-service provider; and
3 a game terminal connected to communicate with said betting-service
4 provider;
5 wherein said betting-service provider is configured to transmit a game
6 identification number, transmit game parameters associated with said game
7 identification number to said game terminal, receive data related to selections
8 on said game terminal associated with said game identification number,
9 calculate a win/loss value, and transmit said win/loss value to said game
10 terminal; and
11 wherein said game terminal is configured to accept a lottery game selection,
12 receive a game identification number and game parameters associated with
13 said number, accept at least one gaming selection according to the rules of
14 said selected lottery game, and receive win/loss value information based on
15 said at least one gaming selection.
- 1 19. The system of Claim 18, wherein said betting-service provider is further configured to
2 transmit a selection of possible games wherein said game identification number and game
3 parameters are associated with a game selected from said possible games.
- 1 20. The system of Claim 18, wherein said betting-service provider is further configured to
2 credit an account when said win value is a positive value.
- 1 21. The system of Claim 18, wherein said betting-service provider is further configured to
2 calculate a win/loss value for each possible selection associated with said game
3 identification number.
- 1 22. The system of Claim 18, further comprising a network which facilitates
2 communication between said betting-service provider and said game terminal.
- 1 23. The system of Claim 18, further comprising a database which stores information
2 associated with said game identification number.

- 1 24. The system of Claim 18, wherein said game terminal is further configured to log in to
2 receive a selection of lottery games.
- 1 25. The system of Claim 18, wherein said game terminal is further configured to credit
2 an account when said win value is a positive value.
- 1 26. The system of Claim 18, wherein said game terminal is further configured to
2 calculate a win/loss value for said selected game.
- 1 27. The system of Claim 18, wherein said game terminal is further configured to
2 calculate a win/loss value for each possible gaming selection of said selected game.
- 1 28. The system of Claim 18, wherein said game terminal configuration is a software
2 configuration.
- 1 29. A wireless station, comprising:
2 at least one transmitter;
3 at least one receiver; and
4 a controller to control said at least one transmitter and said at least one
5 receiver;
6 wherein said controller is configured to accept a lottery game selection,
7 receive a game identification number and game parameters associated with
8 said number, accept at least one gaming selection according to the rules of
9 said selected lottery game, and receive win/loss value information based on
10 said at least one gaming selection.
- 1 30. The wireless station of Claim 29, wherein said controller is further configured to log
2 in to receive a selection of lottery games.
- 1 31. The wireless station of Claim 29, wherein said controller is further configured to
2 credit an account when said win value is a positive value.
- 1 32. The wireless station of Claim 29, wherein said controller is further configured to
2 calculate a win/loss value for said selected game.

- 1 33. The wireless station of Claim 29, wherein said controller is further configured to
- 2 calculate a win/loss value for each possible gaming selection of said selected game.

1/2

FIG. 1





FIG. 3A




FIG. 3B




FIG. 2

2/2




FIG. 4

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB 00/01896

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 G07F17/32 G07C15/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 G07C G07F G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 97 01145 A (IBT AUSTRALIA PTY LIMITED ;LUPTON ROBERT STANLEY (AU)) 9 January 1997 (1997-01-09) abstract; figures 1-5 page 6, line 3 - line 25 page 7, line 9 -page 11, line 10	1-33
X	WO 99 42964 A (SWISSCOM AG ;STADELMANN ANTON NIKLAUS (CH)) 26 August 1999 (1999-08-26) abstract; figures page 3, line 24 -page 4, line 8 page 5, line 22 -page 8, line 20	1-33
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

22 March 2001

Date of mailing of the international search report

29/03/2001

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Buron, E

INTERNATIONAL SEARCH REPORT

In International Application No
PCT/IB 00/01896

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		Relevant to claim No.
Category *	Citation of document, with indication, where appropriate, of the relevant passages	
X	WO 98 36809 A (REALTIME MEDIA INC) 27 August 1998 (1998-08-27) abstract; figures page 2, line 22 -page 4, line 13	1-3, 5-14, 16-25
X	WO 99 63494 A (WENDLER SUELI TEREZINHA NEVES ;SITNIK BORIS (BR); LOTOMIDIA SERVIC) 9 December 1999 (1999-12-09) abstract; figures page 3, line 6 -page 4, line 19 page 5, line 5 -page 6, line 4 page 7, line 11 page 8, line 3 -page 9, last line	1-14, 16-28
Y		15,29-33
X	WO 99 26204 A (SARNO ROBERT A) 27 May 1999 (1999-05-27) abstract; claims 1,12; figures page 4, line 30 -page 7, line 2 page 7, line 24 - line 28 page 10, line 3 -page 14, line 5	1,2, 4-11, 13-15, 17-19, 21,22, 24,27,28
Y	DE 195 02 613 A (EIBA PETER) 1 August 1996 (1996-08-01) abstract; figures column 4, line 29 -column 3, line 4 column 6, line 4 -column 8, line 45	15,29-33

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/IB 00/01896

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9701145 A	09-01-1997	AU 699332 B	03-12-1998
		AU 5992996 A	22-01-1997
		CA 2225281 A	09-01-1997
		NZ 309699 A	26-06-1998
WO 9942964 A	26-08-1999	AU 2262599 A	06-09-1999
		BR 9908097 A	31-10-2000
		EP 1057147 A	06-12-2000
WO 9836809 A	27-08-1998	AU 6174598 A	09-09-1998
		BR 9807736 A	22-02-2000
		CN 1259880 T	12-07-2000
		EP 1011827 A	28-06-2000
		HU 0002191 A	28-10-2000
		PL 335332 A	25-04-2000
WO 9963494 A	09-12-1999	BR 9802634 A	04-07-2000
		BR 9802635 A	11-07-2000
		BR 9805759 A	29-08-2000
		AU 4594499 A	20-12-1999
WO 9926204 A	27-05-1999	AU 1462199 A	07-06-1999
		BR 9815619 A	24-10-2000
		EP 1032924 A	06-09-2000
		US 6024641 A	15-02-2000
DE 19502613 A	01-08-1996	AT 184721 T	15-10-1999
		AU 4664296 A	14-08-1996
		BR 9606847 A	25-11-1997
		CA 2211297 A	01-08-1996
		CN 1174620 A	25-02-1998
		CZ 9702296 A	17-12-1997
		DE 59603068 D	21-10-1999
		WO 9623289 A	01-08-1996
		EP 0806024 A	12-11-1997
		FI 973046 A	19-09-1997
		HU 9800695 A	28-07-1998
		JP 10512984 T	08-12-1998
		NO 973355 A	05-09-1997
		PL 321544 A	08-12-1997
		SK 101397 A	04-02-1998
		US 6117013 A	12-09-2000